

GENERAL INDEX TO VOLUME XLIII

New scientific names of plants and the final members of new combinations are printed in bold face type; synonyms and page numbers having reference to figures and plates, in *italics*; and all other matter in ordinary type.

A

- Africa, Tropical, Some lichens of, II, *Usnea*, 381
 Aldanophyton antiquissimum, 365
 Algae, evolution of vascular plants from, 362, 364
 Alt, Karen S., Henry N. Andrews and: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants. Part 1. Crocalophyton, a new transitional sea-land plant, 355
 Anatomy, nodal, of Ankyropteris glabra Baxter, A note on the, 379
 Anasazi sites, 194; beans found in, 220
 Andrews, Henry N.: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants. Part 1. Crocalophyton, a new transitional sea-land plant, 355; Part 2. Some comments on the origin of land vascular plants and the taxonomic position of Crocalophyton, 363; A note on the nodal anatomy of Ankyropteris glabra Baxter, 379
 Angiosperms, early record of, 366
 Ankyropteris, 379; corrugata, 379; glabra, 379, 380; grayi, 379
 Anonyme, 13
 Archaeological sites: beans found in, 194, 198, 199
 Archaeopteris latifolia, 366
 Arrhenechthites, 74; dolicocephala, 79; haplogyna, 77; mastigothrix, 78; mixta, 75; novoguineensis, 78; tomentella, 74, 75
 Aspidosperma quadriovulatum, 304
 Australasia, Erichthitoid species of Senecio in, 57
 Australia: climatic regions of, 112; geologic history of, 115
 Australian and New Zealand species of Pittosporum, 87

B

- Baragwanathia, 365
 Basketmakers, agriculture of the, 194

- Bean types: black-eyed, 190; common, 191, 248; cowpea, 190; kidney, 191; lima, 192, 222, 251; navy, 191; runner, 192, 210; snap, 190; tepary, 192, 214, 251.
 Beans, The cultivated, of the prehistoric Southwest, 189
 Beans: archaeological materials of, 199; contemporary, 222; distribution of, 189, 214; morphology of, 208; Old and New World compared, 190; seeds, 201, 213, 248, 251; taxonomy of, 189; use and preparation of, 195; charts showing variation in, 229-230
 Belcher, Robert O.: A revision of the genus Erechites (Compositae), with inquiries into Senecio and Arrhenechthites, 1
 Blumea tenera, 79
 Bryophytes, fossil, 365

C

- Cacalia prenanthoides, 30
 Callixylon, 366
 Cambrian plants, 365
 Citharexylum dentatum, 347; flexuosum, 347; molle, 347; retusum, 347
 Compositae, Erechites, Senecio and Arrhenechthites, of the 1
 Coniferophytes, evolution of the, 366
 Cooper, Robert C.: The Australian and New Zealand species of Pittosporum, 87
 Cordaite-conifer line, evolution of the, 366
 Couma pentaphylla, 314
 Crassocephalum valerianaeifolium, 26
 Crocalophyton, A new transitional sea-land plant from the New Zealand shale, 355; taxonomic position of, 363
 Crocalophyton readii, 362, 372-378
 Cyrtosiphonia, 279

D

- Daylength, effect of, on habit of beans, 197
 Devonian-Mississippian shales, fossil flora of, 355
 Dissolaena, 279
 Dodge, Carroll William: Some lichens of tropical Africa. II, *Usnea*, 381

E

- Economic uses: of species of *Pittosporum*, 90; of species of *Rauvolfia*, 267
 Ejote, 195
 Equisetalean plants, 365
Erechtithites, 10
Erechtites (Compositae), A revision of the genus, with inquiries into *Senecio* and *Arrhenechthites*, 1; index to species of, 84
Erechthitoid species of *Senecio* in Australasia, 37; key to, 39
 Evolution of land vascular plants, 363

F

- Ferns, heterosporous, early occurrence of, 366
 Fossil plant, a new, from the New Albany shale, 355

G

- Gynura aspera*, 20; *malasica*, 20; *papuana*, 53; *rosea*, 26; *zeylanica* var. *malasica*, 20

H

- Hohokam culture in the Southwest, 194; beans of the, 219
 Hopi beans, 222, 237
Huerckia, 279
 Hybridization in *Rauvolfia*, 264

K

- Kaplan, Lawrence: The cultivated beans of the prehistoric Southwest, 189
 Kentucky, a new fossil plant from, 355

L

- Land vascular plants, origin of, 355, 363
 Lichens of tropical Africa. II. *Usnea*, 381
 Life forms of Australian and New Zealand species of *Pittosporum*, 95
 Lycopodiaceous plants, early, 365

M

- Malouetia jasminoides*, 347
Marianthus procumbens, 182
 Mesa Verde beans, 251
 Mogollon culture in the Southwest, 194; beans of the, 207, 218, 229

N

- Navajo beans, 223, 233, 236

- Neoceis*, 10; *carduifolia*, 19; *bieracifolia*, 14; *microcephala*, 61; *rigidula*, 14; *to-mentosa*, 57
 New Albany shale, a new fossil plant from, 355
 New Zealand and Australian species of *Pittosporum*, 87
 Nodal anatomy of *Ankyropteris glabra* Baxter, 379

O

- Ophioxylon*, 279

P

- Paleobotany: A new fossil plant from the New Albany shale, with some comments on the origin of land vascular plants, 355; A note on the nodal anatomy of *Ankyropteris glabra* Baxter, 379
Phaseolus, 189; *acutifolius*, 192, var. *latifolius*, 192, 206, 207; *coccineus*, 192, 206, 207; *lunatus*, 192, 207; *vulgaris*, 191, 206, 207, subsp. *aborigineus*, 191, subsp. *cultigenus*, 191
 Phylogeny of *Pittosporum*, 98
 Piman beans, 223
Pittosporaceae, distribution of, 108, 109
Pittosporoides, 121; *umbellata*, 147
Pittosporum: Australian and New Zealand species of, 87; interrelations of species of, 117; index of species, 187; index of vernacular names, 187; taxonomy of, 121
Pomaderris microcarpa, 181
 Prehistoric Southwest, Cultivated beans of the, 189
 Protein, beans as a source of, 196
 Prototaxites, 368
 Pteridophytes, evolution of, 363
 Pteridospermae in Cambrian time, 365
Ptileris bieracifolia, 14

R

- Rao, Aragula Sathyanarayana: A revision of *Rauvolfia*, with particular reference to the American species, 253
Rauvolfia: economic uses of, 267; geography, 268; index to species, 353; relationships, 273; variation and hybridization, 264, 266
Rauvolfia serpentina, medicinal use of, 267
Rauwolfia, 279
 Rhynia, 363
 Rio Grande Pueblo beans, 223, 233

S

- Sanmiguelia lewisii, 366
 Schizopodium davidi, 362
 Sea-land plant, a new transitional, 355
 Senecio and Arrhenechthites, Inquiries into, 1
 Senecio, Erechthitoid species of, in Australia, 38; index to species, 85
 Senecio, 10
 Senecioninae, key to the, 8
 Serpentine, 267
 Sonchus agrestis, 19; brasiliensis, 19; erythropappus, 26; laevis, 13; occidentalis, 19
 Southwest, The, 193; culture history of, 194; prehistoric, Cultivated beans of the, 189
 Stauropteris burntislandica, 366
 Strempeliopsis strempelioides, 347

T

- Tabernaemontana oppositifolia, 347
 Tonduzia longifolia, 347
 Trichilia monophylla, 134

U

- Usnea in Africa south of 15° N., 381; key to, 382; new taxa, 392

- Usnea, 381; amaniensis, 396; articulata subsp. aethiopica, 394; blepharoides, 395; brunnescens, 393; cameroonensis, 394; cervicornis, 392; Dalei, 396; decipiens var. Rhodesiana, 394; Dodomae, 392; Gossweileri, 395; isabellina, 395; medioafricana, 393; Meyeri var. chondroclada, 396; nana, 393; nutans, 395; pulvinulata, 392; spilotoides, 396; subcristata, 393; subfoveata, 395; terricola, 394

V

- Vallesia dichotoma, 347
 Variation: in cultivated beans, 229-239; in Rauvolfia, 264
 Vascular plants, land, origin of, 363
 Verde Valley beans, 229
 Vernacular names of species of Pittosporum, 187

X

- Xenocladia, 368

Y

- Yuman beans, 223

Z

- Zuni beans, 222, 236, 238